


© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

ON ORIGINAL



NOTES:

- GENERAL NOTES:
1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES.
 2. THE CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF EXISTING DRAINAGE LEVELS AND LOCATION OF EXISTING SERVICES ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE.
 3. ALL DIMENSIONS AND LEVELS ARE IN METERS AND ARE RELATED TO ORDNANCE DATUM. CO-ORDINATES RELATE TO IRISH TRANSVERSE MERCATOR.
 4. ALL FOUL SEWERS, MANHOLES AND CONNECTIONS TO BE CONSTRUCTED IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE FOR WASTEWATER INFRASTRUCTURE AND IRISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS.
 5. ALL FOUL SEWER HOUSE CONNECTIONS TO BE MIN 100mm² UPVC TO IS EN 1401 2009/2012, STIFFNESS CLASS BKN/M2 IN ACCORDANCE WITH IRISH WATER SPECIFICATIONS.
 6. ALL PUBLIC FOUL SEWERS PIPE MATERIAL TO BE IN COMPLIANCE WITH SECTION 3.13 OF IRISH WATER WASTEWATER CODE OF PRACTICE.
 7. ALL PUBLIC SURFACE WATER SEWERS TO BE MINIMUM 225 DIA CLASS H CONCRETE TO EN1916 & IS 6 2004 IN ACCORDANCE WITH THE GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
 8. ALL SURFACE WATER CONNECTIONS TO BE MINIMUM 150mm² UPVC TO IS EN 1401 2009/2012 IN ACCORDANCE WITH THE GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS.
 9. LOCATION AND INVERT LEVELS OF EXISTING MANHOLES OR OUTFALL POINTS, WHERE APPLICABLE TO BE VERIFIED BY CONTRACTOR PRIOR TO COMMENCEMENT OF DRAINAGE WORKS.
 10. ALL COVER LEVELS TO MATCH FINISHED ROAD/VERGE/FOOTPATH/CYCLETRACK LEVELS UNLESS OTHERWISE STATED.
 11. CONTRACTOR TO INCLUDE FOR CCTV SURVEY OF ALL SEWERS UPON COMPLETION OF SAME.
 12. ALL FOUL SEWERS TO BE AIR TESTED IN ACCORDANCE WITH IRISH WATER SPECIFICATIONS.

LEGEND

- ROOF AREA
- POROUS ASPHALT
- PAVING AREA
- CAR PARK / PAVED AREA
- GREEN PODIUM
- LANDSCAPED AREA

ORDNANCE SURVEY IRELAND LICENCE
No. EN 0017919
© ORDNANCE SURVEY IRELAND
GOVERNMENT OF IRELAND



REV.	DATE	DESCRIPTION	BY	CHKD.
A	24/10/19	STAGE 3 SUBMISSION TO ABP	PJC	DJR

PLANNING

DESIGNED	NCG	PREPARED	PJC
DATE	MAY 2019	CHECKED	DJR

DBFL Dublin Office: Ormond House, Upper Ormond Quay, Dublin 7, Ireland. PHONE +353 1 400 4000 FAX +353 1 400 4050
Waterford Office: Unit 2, The Chandlers, 1-2 O'Connell Street, Waterford, Ireland. PHONE +353 51 308 550 FAX +353 51 844 913
DBFL Consulting Engineers email: info@dbfl.ie site: www.dbfl.ie

PROJECT
KNOCKNACARRA DISTRICT CENTRE, RAHOON, GALWAY.

DRG. TITLE
SUDS STRATEGY

ARCHITECT
REDDY ARCHITECTS

SCALE 1:500 @A1 FILE REF. 180191-3001
DRG. NO. 180191-3001 A

FUTURE DISTRICT CENTRE USE SITE